

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 08-Apr-2024 Version 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code 57

Product Name AUTO MAGIC VINYL/LEATHER CLEANER

Other means of identification

Unique Formula Identifier (UFI) AC94-V0R1-7009-3X2V

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Automotive Care Product: Cleaner. Restricted to professional users

Uses advised against Uses other than recommended use.

1.3. Details of the supplier of the safety data sheet

ManufacturerOnly Representative (OR)ITW EvercoatITW Performance Polymers

6600 Cornell Road Bay 150

Cincinnati, Ohio 45242 Shannon Industrial Estate

Telephone: 513-489-7600 Co. Clare

Ireland V14 DF82 353(61)771500 353(61)471285

customerservice.shannon@itwpp.com

For further information, please contact

E-mail address: Info@automagic.com

Non-Emergency Telephone Number +1 (513) 489-7600 or (800) 729-7600

1.4. Emergency telephone number

24-hour emergency phor	e number - §45 - (EC)1272/2008
Europe	112
Austria	01 406 43 43
Belgium	070 245 245
Denmark	+ 45 8212 1212
Finland	0800 147 111/ 09 471 977
France	+33 (0)1 45 42 59 59
Germany	+49 228 192 40
Ireland	01 809 2166
Italy	0382-24444
Netherlands	+31 (0)88 755 8000
Norway	22 59 13 00
Poland	112
Portugal	+351 800 250 250
Slovenia	112

Spain	+34 91 562 04 20
Sweden	112
Switzerland	145
United Kingdom	111
Bulgaria	+359 2 9154 233
Croatia	+3851 2348 342
Cyprus	1401
Czech Republic	+420 224 919 293/ +420 224 915 402
Estonia	16662/ (+372) 7943 794
Greece	(003) 2107793777
Hungary	+36 80 201 199
Iceland	543 2222
Latvia	+371 67042473
Liechtenstein	01 406 43 43
Lithuania	+370 (85) 2362052
Luxembourg	(+352) 8002 5500
Romania	+40213183606
Slovakia	+421 2 5477 4166
Malta	112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin corrosion/irritation	Category 1 - (H314)
Serious eye damage/eye irritation	Category 1 - (H318)

2.2. Label elements



Signal word

Danger

Hazard statements

H314 - Causes severe skin burns and eye damage

Precautionary Statements - EU (§28, 1272/2008)

P260 - Do not breathe dust/fume/gas/mist/vapors/spray.

P280 - Wear protective gloves/protective clothing and eye/face protection.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor.

Additional information

This product requires child resistant fastenings if supplied to the general public. This product requires tactile warnings if supplied to the general public.

2.3. Other hazards

No information available.

Endocrine Disruptor Information

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight-%	REACH registration No.	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Isopropanol, 2-propanol 67-63-0	0.1 - <0.5%	01-211945755 8-25-XXXX	(603-117-00-0) 200-661-7	Eye Irrit. 2 (H319) STOT SE 3 (H336) Flam. Liq. 2 (H225)	-	-	-
Sodium Metasilicate 6834-92-0	0.1 - <0.5%	-	(014-010-00-8) 229-912-9	Skin Corr. 1B (H314) STOT SE 3 (H335)	-	-	-

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg		Inhalation LC50 - 4 hour - vapor - mg/L	
Isopropanol, 2-propanol 67-63-0	1870	4059	No data available	30.1002	No data available
Sodium Metasilicate 6834-92-0	1153	No data available	No data available	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

Inhalation Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical

attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical

attention.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present

and easy to do. Continue rinsing. Get immediate medical attention.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. Get immediate medical attention.

Revision Date 08-Apr-2024

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Get immediate medical attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation.

4.3. Indication of any immediate medical attention and special treatment needed

Effects of Exposure No information available.

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood

pressure may occur with moist rales, frothy sputum, and high pulse pressure.

SECTION 5: Firefighting measures

5.1. Extinguishing media

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing mediaDo not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition

can lead to release of irritating gases and vapors.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate

ventilation. Use personal protective equipment as required. Evacuate personnel to safe

areas. Keep people away from and upwind of spill/leak.

Other information Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Should not be released into the

environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

57 - AUTO MAGIC VINYL/LEATHER CLEANER

Revision Date 08-Apr-2024

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upTake up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before

reuse.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from

moisture. Store locked up. Keep out of the reach of children. Store away from other

materials.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Isopropanol, 2-propanol	=	TWA: 200 ppm	TWA: 200 ppm	STEL: 1225.0 mg/m ³	TWA: 400 ppm
67-63-0		TWA: 500 mg/m ³	TWA: 500 mg/m ³	TWA: 980.0 mg/m ³	TWA: 999 mg/m ³
		STEL 800 ppm	STEL: 400 ppm		STEL: 500 ppm
		STEL 2000 mg/m ³	STEL: 1000 mg/m ³		STEL: 1250 mg/m ³
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Isopropanol, 2-propanol	=	TWA: 500 mg/m ³	TWA: 200 ppm	TWA: 150 ppm	TWA: 200 ppm
67-63-0		Ceiling: 1000 mg/m ³	TWA: 490 mg/m ³	TWA: 350 mg/m ³	TWA: 500 mg/m ³
		D*	STEL: 400 ppm	STEL: 250 ppm	STEL: 250 ppm
			STEL: 980 mg/m ³	STEL: 600 mg/m ³	STEL: 620 mg/m ³
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Isopropanol, 2-propanol	STEL: 400 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 400 ppm	TWA: 500 mg/m ³
67-63-0	STEL: 980 mg/m ³	TWA: 500 mg/m ³	TWA: 500 mg/m ³	TWA: 980 mg/m ³	TWA: 200 ppm
			Peak: 400 ppm	STEL: 500 ppm	STEL: 1000 mg/m ³
			Peak: 1000 mg/m ³	STEL: 1225 mg/m ³	STEL: 400 ppm
					b*
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Isopropanol, 2-propanol	TWA: 200 ppm	-	TWA: 200 ppm	TWA: 350 mg/m ³	TWA: 150 ppm

67-63-0		: 400 ppm Sk*		TWA: 492 mg/m ³ STEL: 400 ppm STEL: 983 mg/m ³	STEL: 600	0 mg/m ³	TWA: 350 mg/m ³ STEL: 250 ppm STEL: 600 mg/m ³
Chemical name	Luxe	embourg	Malta	Netherlands	Norw	<i>v</i> ay	Poland
Isopropanol, 2-propanol 67-63-0		-	-	-	TWA: 10 TWA: 245 STEL: 15 STEL: 306.	5 mg/m³ 50 ppm	STEL: 1200 mg/m ³ TWA: 900 mg/m ³ skóra*
Chemical name	Po	ortugal	Romania	Slovakia	Slovenia		Spain
Isopropanol, 2-propanol 67-63-0		: 200 ppm : 400 ppm	TWA: 81 ppm TWA: 200 mg/m ³ STEL: 203 ppm STEL: 500 mg/m ³	TWA: 200 ppm TWA: 500 mg/m ³ Ceiling: 1000 mg/m ³	TWA: 200 ppm TWA: 500 mg/m ³ STEL: 400 ppm STEL: 1000 mg/m ³		TWA: 200 ppm TWA: 500 mg/m ³ STEL: 400 ppm STEL: 1000 mg/m ³
Chemical name		Sv	veden	Switzerland		United Kingdom	
67-63-0 NGV: 3 Vägledande		150 ppm 350 mg/m ³ KGV: 250 ppm KGV: 600 mg/m ³	TWA: 200 ppm TWA: 500 mg/m STEL: 400 ppm STEL: 1000 mg/i	m³ TW. m ST		/A: 400 ppm A: 999 mg/m ³ EL: 500 ppm .: 1250 mg/m ³	

Biological occupational exposure limits

Chemical name	European Union		Austria Bulga					Czech Republic
Isopropanol, 2-propanol	-		-		-	50 mg/L - blo		-
67-63-0					(Acetone) - at			
						end of the work	-	
						50 mg/L - urir		
						(Acetone) - at		
Chemical name	Denmark		Finland	Ero	nce	end of the work		Germany TRGS
Isopropanol, 2-propanol	Deninark		rilliallu	гіа	nce	Germany DF 25 mg/L (who		25 mg/L (whole
67-63-0	-		-	,	-			blood - Acetone end
07-03-0						of shift)	e enu	of shift)
						25 mg/L (urin	ne -	25 mg/L (urine -
								Acetone end of shift)
						25 mg/L - BAT		,
						of exposure or		
						of shift) urin	ne	
						25 mg/L - BAT		
						of exposure or		
						of shift) bloo	<u>od</u>	
Chemical name	Hungary		Ireland	-	Italy	/ MDLPS		Italy AIDII
Isopropanol, 2-propanol	-		40 mg/L (urine			-		g/L - urine (Acetone)
67-63-0			end of shift a				- e	nd of shift at end of
Chamical rama	Latria		workwe					workweek
Chemical name	Latvia		Luxembourg		Romania		Slovakia	
Isopropanol, 2-propanol 67-63-0	-		-		50 mg/L - urine (Acetone) - end of shift			-
Chemical name	Slovenia		Spain		Switzerland			United Kingdom
	25 mg/L - blood (Aceto	no)			_	urine - Acetone		Officea Kingaom
67-63-0	- at the end of the wo		end of work			d of shift)		-
0, 00-0	shift	''`	CHG OF WORK			nol/L (urine -		
	25 mg/L - urine (Acetone)					e end of shift)		
	- at the end of the wo					(whole blood -		
	shift				Acetone end of shift)			
						_ (whole blood -	-	
					Acetone	e end of shift)		

8.2. Exposure controls

Revision Date	08-Apr-2024
---------------	-------------

Chemical name	Oral	Dermal	Inhalation
Dipropylene glycol n-butylether 29911-28-2	-	134 mg/kg bw/day [4] [6]	189 mg/m³ [4] [6]
Isopropanol, 2-propanol 67-63-0	-	888 mg/kg bw/day [4] [6]	500 mg/m³ [4] [6]
Ethanol 64-17-5	-	343 mg/kg bw/day [4] [6]	950 mg/m³ [4] [6] 1900 mg/m³ [5] [7]
ALCOHOLS, C12-15, ETHOXYLATED 68131-39-5	-	2080 mg/kg bw/day [4] [6]	294 mg/m³ [4] [6]

Notes

[4] Systemic health effects.
[5] Local health effects.
[6] Long term.
[7] Short term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
Dipropylene glycol n-butylether 29911-28-2	16 mg/kg bw/day [4] [6]	-	56 mg/m³ [4] [6]
Isopropanol, 2-propanol 67-63-0	26 mg/kg bw/day [4] [6]	-	89 mg/m³ [4] [6]
Ethanol 64-17-5	87 mg/kg bw/day [4] [6]	-	114 mg/m³ [4] [6] 950 mg/m³ [5] [7]
ALCOHOLS, C12-15, ETHOXYLATED 68131-39-5	25 mg/kg bw/day [4] [6]	-	87 mg/m³ [4] [6]

Notes

[4] Systemic health effects.
[5] Local health effects.
[6] Long term.
[7] Short term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
Dipropylene glycol n-butylether 29911-28-2	0.519 mg/L	5.19 mg/L	0.0519 mg/L	-	-
Isopropanol, 2-propanol 67-63-0	140.9 mg/L	140.9 mg/L	140.9 mg/L	-	-
ALCOHOLS, C12-15, ETHOXYLATED 68131-39-5	0.0514 mg/L	0.0014 mg/L	0.0051 mg/L	0.00014 mg/L	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
Dipropylene glycol n-butylether 29911-28-2	2.96 mg/kg sediment dw	0.296 mg/kg sediment dw	100 mg/L	0.287 mg/kg soil dw	-
Isopropanol, 2-propanol 67-63-0	552 mg/kg sediment dw	552 mg/kg sediment dw	2251 mg/L	28 mg/kg soil dw	160 mg/kg food
ALCOHOLS, C12-15, ETHOXYLATED 68131-39-5	81.64 mg/kg sediment dw	8.16 mg/kg sediment dw	10 g/L	1 mg/kg soil dw	-

Personal protective equipment

Revision Date 08-Apr-2024

Eye protection must conform to standard EN 166. Tight sealing safety goggles. Face Eye/face protection

protection shield.

Hand protection Gloves must conform to standard EN 374. Wear suitable gloves. Impervious gloves.

Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Skin and body protection

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do **General hygiene considerations**

not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

None known

No information available. **Environmental exposure controls**

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid Tan, Liquid. **Appearance** Color Tan Odor Glycol

Odor threshold No information available

Remarks • Method **Property** Values

Melting point / freezing point No data available None known Boiling point / boiling range No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability limit: No data available Lower flammability limit: No data available 94 °C

Flash point

Autoignition temperature No data available None known None known **Decomposition temperature**

12 pН

pH (as aqueous solution) No data available None known Kinematic viscosity No Data Available None known **Dynamic viscosity** No data available None known Water solubility No data available None known Solubility(ies) No Data Available None known Partition coefficient No Data Available None known Vapor pressure No Data Available None known

Relative density

No data available **Bulk density** No data available **Density** No data available

Vapor density Particle characteristics

Particle Size No information available Particle Size Distribution No information available

None known

9.2. Other information

Formula No information available

9.2.1. Information with regard to physical hazard classes

Not applicable

94°C Flammable liquids

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Stable.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None. **Sensitivity to static discharge** None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions
None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Exposure to air or moisture over prolonged periods.

10.5. Incompatible materials

Incompatible materials Acids. Bases. Oxidizing agent.

10.6. Hazardous decomposition products

Hazardous Decomposition Products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Corrosive by inhalation.

(based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs.

Pulmonary edema can be fatal.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye damage.

(based on components). Corrosive to the eyes and may cause severe damage including

blindness. May cause irreversible damage to eyes.

Skin contact Specific test data for the substance or mixture is not available. Corrosive. (based on

components). Causes burns.

Ingestion Specific test data for the substance or mixture is not available. Causes burns. (based on

components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung

damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. Coughing and/ or wheezing.

Numerical measures of toxicity

Based on available data, the classification criteria are not met

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropanol, 2-propanol	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	> 10000 ppm (Rat) 6 h
Sodium Metasilicate	= 1153 mg/kg (Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes severe skin burns and eye

damage.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye damage. Causes

burns.

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposureBased on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Isopropanol, 2-propanol	EC50: >1000mg/L (96h,	LC50: =9640mg/L (96h,	-	EC50: =13299mg/L (48h,
	Desmodesmus	Pimephales promelas)		Daphnia magna)
	subspicatus)	LC50: =11130mg/L (96h,		
	EC50: >1000mg/L (72h,	Pimephales promelas)		
	Desmodesmus	LC50: >1400000µg/L		
	subspicatus)	(96h, Lepomis		
		macrochirus)		
Sodium Metasilicate	-	LC50: =210mg/L (96h,	-	-
		Brachydanio rerio)		

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation No information available.

Component Information

	Chemical name	Partition coefficient	
Isopropanol, 2-propanol		0.05	

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

Chemical name	PBT and vPvB assessment
Isopropanol, 2-propanol	The substance is not PBT / vPvB
Sodium Metasilicate	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

Waste codes / waste designations according to EWC / AVV

Dispose of this material and its container to hazardous or special waste collection point.

SECTION 14: Transport information

Note: This information is not intended to convey all specific regulatory information relating to this

product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

IATA

14.1 UN number or ID number14.2 Proper shipping nameUN1760Corrosive Liquid, n.o.s. (Disodium trioxosilicate)

14.3 Transport hazard class(es) 8
14.4 Packing group | ||

Description UN1760, Corrosive liquid, n.o.s. (Disodium trioxosilicate), 8, III

14.5 Environmental hazard Not applicable

14.6 Special precautions for user

IMDG

14.1 UN number or ID number UN1760

14.2 Proper shipping nameCorrosive Liquid, n.o.s. (Disodium trioxosilicate)

14.3 Transport hazard class(es) 8
14.4 Packing Group

Description UN1760, Corrosive liquid, n.o.s. (Disodium trioxosilicate) , 8, III

14.5 Environmental hazard Not applicable

14.6 Special precautions for user14.7 Maritime transport in bulk

according to IMO instruments

<u>RID</u>

14.1 UN/ID No UN1760

14.2 Proper shipping nameCorrosive Liquid, n.o.s. (Disodium trioxosilicate)

14.3 Transport hazard class(es)14.4 Packing Group

Description UN1760, Corrosive liquid, n.o.s. (Disodium trioxosilicate) , 8, III

14.5 Environmental hazard Not applicable

14.6 Special precautions for user

ADR

14.1 UN number or ID number UN1760

14.2 Proper shipping nameCorrosive Liquid, n.o.s. (Disodium trioxosilicate)

14.3 Transport hazard class(es) 814.4 Packing Group | | | | |

Description UN1760, Corrosive liquid, n.o.s. (Disodium trioxosilicate) , 8, III

14.5 Environmental hazard Not applicable

14.6 Special precautions for user

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	
Isopropanol, 2-propanol - 67-63-0	RG 84	

Germany

Water hazard class (WGK) non-hazardous to water (nwg)

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Revision Date 08-Apr-2024

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
Isopropanol, 2-propanol - 67-63-0	75.	-
Sodium Metasilicate - 6834-92-0	75.	-

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Biocidal Products Regulation (EU) No 528/2012 (BPR)

	21001aa: 1 100a0to 110gaiation (20) 110 020/2012 (2: 11)		
Chemical name		Biocidal Products Regulation (EU) No 528/2012 (BPR)	
Ī	Isopropanol, 2-propanol - 67-63-0	Product-type 2: Disinfectants and algaecides not intended	
		for direct application to humans or animals Product-type 4:	
		Food and feed area Product-type 1: Human hygiene	

International Inventories

EINECS/ELINCS Complies

Legend:

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization:

vPvB: Very Persistent and very Bioaccumulative (vPvB) Chemicals

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapor	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitization	Calculation method
Skin sensitization	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method

Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision Date

08-Apr-2024

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

Illinois Tool Works Inc. believes the information contained in this data sheet is accurate as of the date compiled. However,Illinois Tool Works Inc. makes no warranty, express or implied, as to the accuracy, reliability or completeness of theinformation. User is responsible for evaluating whether such information or this product is fit for a particular purposeand suitable for a particular use or application. The information in this data sheet may not be valid if this product is usedin combination with other products or in processes for which it was not designed. Illinois Tool Works Inc. disclaims anyliability for consequential or incidental damages of any kind, including lost profits, arising from the sale or use of thisproduct. Ensure you have the most current version of this data sheet by contacting us or reviewing our web site.

End of Safety Data Sheet

EU SDS version information - EGHS

UL release: GHS Revision 7 2023 Q1

Europe

Partial process, including GHS Wizard, NO TW

Chemical name	Classification according to Regulation (EC)	Specific concentration limit (SCL)
	No. 1272/2008 [CLP]	
Isopropanol, 2-propanol	Eye Irrit. 2 (H319)	
	STOT SE 3 (H336)	
	Flam. Liq. 2 (H225)	
Sodium Metasilicate	Skin Corr. 1B (H314)	
	STOT SE 3 (H335)	

Chemical name	CAS No.	French RG number
Isopropanol, 2-propanol	67-63-0	RG 84

Storage class (TRGS 510)

Storage class 8A

VOC content