

This safety data sheet complies with the requirements of: (CLP) Regulation (EC 1272/2008)

Revision Date 27-May-2020

Version 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Code 63 QT
Product Name AUTO MAGIC POLY MAGIC

Contains Distillates (petroleum), hydrotreated light, LIGHT HYDROTREATED DISTILLATE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Car Exterior Multi-Surface Detailer. For professional use only.

Uses advised against Uses other than recommended use.

1.3. Details of the supplier of the safety data sheet

Manufacturer

ITW Evercoat
6600 Cornell Road
Cincinnati, Ohio 45242
Telephone: 513-489-7600

E-mail address:

Info@automagic.com

1.4. Emergency telephone number

24-hour emergency phone number - CHEMTREC: 1-800-424-9300 INTERNATIONAL: 1-703-527-3887

SECTION 2: HAZARDS IDENTIFICATION:

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Aspiration toxicity	Category 1 - (H304)
Flammable liquids	Category 3 - (H226)

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Full text of R-phrases: see section 16

2.2. Label elements

Contains Distillates (petroleum), hydrotreated light, LIGHT HYDROTREATED DISTILLATE



Signal word

Danger

Statements of hazard

H304 - May be fatal if swallowed and enters airways

H226 - Flammable liquid and vapor

Precautionary Statements

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P331 - Do NOT induce vomiting

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical/ ventilating/ lighting/ equipment

P242 - Use only non-sparking tools

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

P370 + P378 - In case of fire: Use .? to extinguish

P403 + P235 - Store in a well-ventilated place. Keep cool

P501 - Dispose of contents/container to industrial incineration plant

Take precautionary measures against static discharge

Other Information

- Not applicable

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS**Mixtures**

Chemical Name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
Distillates (petroleum), hydrotreated light	265-149-8	64742-47-8	10 - 30	Asp. Tox. 1 (H304)	01-2119456620-43-XXXX
LIGHT HYDROTREATED DISTILLATE	270-093-2	68410-97-9	1 - 5	Asp. Tox. 1 (H304)	01-2119456620-43-XXXX
Octamethylcyclotetrasiloxane	209-136-7	556-67-2	0.1 - 1	Repr. 2 (H361f) Aquatic Chronic 4 (H413)	Exempt - Volume
Butylated Hydroxytoluene	204-881-4	128-37-0	<0.1		Exempt - Volume
ETHANOL, 2,2'-IMINOBI-	203-868-0	111-42-2	<0.1	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) STOT RE 2 (H373)	Exempt - Volume
Methanol	200-659-6	67-56-1	<0.1	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) STOT SE 1 (H370) Flam. Liq. 2 (H225)	01-2119433307-44-XXXX
Trisodium Nitriloacetate	225-768-6	5064-31-3	<0.1	Acute Tox. 4 (H302) Eye Irrit. 2 (H319) Carc. 2 (H351)	Exempt - Volume
Sodium Hydroxide	215-185-5	1310-73-2	<0.1	Skin Corr. 1A (H314)	Exempt - Volume
Formaldehyde	200-001-8	50-00-0	<0.1	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Muta. 2 (H341) Carc. 1B (H350)	Exempt - Volume

Full text of H- and EUH-phrases: see section 16**Section 4: FIRST AID MEASURES****4.1. Description of first aid measures**

General advice	Get medical advice/attention if you feel unwell.
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.
Skin contact	IF ON SKIN: Wash with soap and water. If symptoms persist, call a physician. Wash contaminated clothing before reuse.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	IF SWALLOWED: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms See section 2 for more information

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO₂). Foam. Use dry chemical.

Unsuitable extinguishing media

No information available

5.2. Special hazards arising from the substance or mixture

Flammable.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

Remove all sources of ignition. Use personal protective equipment as required.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

See section 12 for additional ecological information. Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material.

6.4. Reference to other sections

See section 8 for more information. See section 13 for more information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin and eyes. Avoid breathing vapors or mists.

General Hygiene Considerations

Do not eat, drink or smoke when using this product. Take off all contaminated clothing and wash it before reuse. Wash hands and face thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).

Incompatible materials

Strong oxidizing agents

7.3. Specific end use(s)

Specific use(s)

Automotive Care Product.

Risk Management Methods (RMM)

The information required is contained in this Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Chemical Name	European Union	United Kingdom	France	Spain	Germany
Butylated Hydroxytoluene 128-37-0	-	TWA: 10 mg/m ³ STEL: 30 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³
ETHANOL, 2,2'-IMINOBIS- 111-42-2	-	-	TWA: 3 ppm TWA: 15 mg/m ³	TWA: 0.46 ppm TWA: 2 mg/m ³ vía dérmica*	TWA: 0.11 ppm TWA: 0.5 mg/m ³ H*
Methanol 67-56-1	TWA: 200 ppm TWA: 260 mg/m ³ *	TWA: 200 ppm TWA: 266 mg/m ³ STEL: 250 ppm STEL: 333 mg/m ³ Sk*	TWA: 200 ppm TWA: 260 mg/m ³ STEL: 1000 ppm STEL: 1300 mg/m ³ *	TWA: 200 ppm TWA: 266 mg/m ³ vía dérmica*	TWA: 100 ppm TWA: 130 mg/m ³ H*
Sodium Hydroxide 1310-73-2	-	STEL: 2 mg/m ³	TWA: 2 mg/m ³	STEL: 2 mg/m ³	-
Formaldehyde 50-00-0	TWA 0.37 mg/m ³ limit value of 0.62 mg/m ³ or 0.5 ppm for the health care, funeral and embalming sectors until 11 July 2024 TWA 0.3 ppm limit value of 0.62 mg/m ³ or 0.5 ppm for the health care, funeral and embalming sectors until 11 July 2024 *	TWA: 2 ppm TWA: 2.5 mg/m ³ STEL: 2 ppm STEL: 2.5 mg/m ³	TWA: 0.5 ppm STEL: 1 ppm	TWA: 0.3 ppm TWA: 0.37 mg/m ³ STEL: 0.6 ppm STEL: 0.74 mg/m ³	TWA: 0.3 ppm TWA: 0.37 mg/m ³
Chemical Name	Italy	Portugal	Netherlands	Finland	Denmark
Butylated Hydroxytoluene 128-37-0	-	TWA: 2 mg/m ³	-	TWA: 10 mg/m ³ STEL: 20 mg/m ³	TWA: 10 mg/m ³
ETHANOL, 2,2'-IMINOBIS- 111-42-2	-	TWA: 1 mg/m ³ P*	-	TWA: 0.46 ppm TWA: 2 mg/m ³ iho*	TWA: 0.46 ppm TWA: 2 mg/m ³ H*

Methanol 67-56-1	TWA: 200 ppm TWA: 260 mg/m³ pelle*	TWA: 200 ppm TWA: 260 mg/m³ STEL: 250 ppm P*	TWA: 133 mg/m³ H*	TWA: 200 ppm TWA: 270 mg/m³ STEL: 250 ppm STEL: 330 mg/m³ iho*	TWA: 200 ppm TWA: 260 mg/m³ H*	
Sodium Hydroxide 1310-73-2	-	Ceiling: 2 mg/m³	-	Ceiling: 2 mg/m³	Ceiling: 2 mg/m³	
Formaldehyde 50-00-0	-	Ceiling: 0.3 ppm	TWA: 0.15 mg/m³ STEL: 0.5 mg/m³	TWA: 0.3 ppm TWA: 0.37 mg/m³ Ceiling: 1 ppm Ceiling: 1.2 mg/m³	Ceiling: 0.3 ppm Ceiling: 0.4 mg/m³	
Chemical Name	Austria	Switzerland	Poland	Norway	Ireland	Slovenia
Distillates (petroleum), hydrotreated light 64742-47-8	-	TWA: 50 ppm TWA: 350 mg/m³ TWA: 5 mg/m³ STEL: 100 ppm STEL: 700 mg/m³	-	-	-	
Butylated Hydroxytoluene 128-37-0	TWA: 10 mg/m³	TWA: 10 mg/m³ STEL: 40 mg/m³	-	-	TWA: 2 mg/m³ STEL: 6 mg/m³	TWA: 10 mg/m³ STEL: STEL mg/m³
ETHANOL, 2,2'-IMINOBIS- 111-42-2	TWA: 0.46 ppm TWA: 2 mg/m³ STEL 0.92 ppm STEL 4 mg/m³ H*	TWA: 1 mg/m³ STEL: 1 mg/m³ H*	TWA: 9 mg/m³	TWA: 3 ppm TWA: 15 mg/m³ STEL: 6 ppm STEL: 22.5 mg/m³	TWA: 0.2 ppm TWA: 1 mg/m³ STEL: 0.6 ppm STEL: 3 mg/m³ Sk*	TWA: 0.5 mg/m³ TWA: 0.11 ppm STEL: STEL ppm STEL: STEL mg/m³ K*
Methanol 67-56-1	TWA: 200 ppm TWA: 260 mg/m³ STEL 800 ppm STEL 1040 mg/m³ H*	TWA: 200 ppm TWA: 260 mg/m³ STEL: 800 ppm STEL: 1040 mg/m³ H*	STEL: 300 mg/m³ TWA: 100 mg/m³	TWA: 100 ppm TWA: 130 mg/m³ STEL: 125 ppm STEL: 162.5 mg/m³ H*	TWA: 200 ppm TWA: 260 mg/m³ STEL: 600 ppm STEL: 780 mg/m³ Sk*	TWA: 200 ppm TWA: 260 mg/m³ STEL: STEL ppm STEL: STEL mg/m³ K*
Sodium Hydroxide 1310-73-2	TWA: 2 mg/m³ STEL 4 mg/m³	TWA: 2 mg/m³ STEL: 2 mg/m³	STEL: 1 mg/m³ TWA: 0.5 mg/m³	Ceiling: 2 mg/m³	STEL: 2 mg/m³	
Formaldehyde 50-00-0	TWA: 0.3 ppm TWA: 0.37 mg/m³ STEL 0.6 ppm STEL 0.74 mg/m³	TWA: 0.3 ppm TWA: 0.37 mg/m³ STEL: 0.6 ppm STEL: 0.74 mg/m³	STEL: 0.74 mg/m³ TWA: 0.37 mg/m³	TWA: 0.5 ppm TWA: 0.6 mg/m³ Ceiling: 1 ppm Ceiling: 1.2 mg/m³	TWA: 0.3 ppm TWA: 0.5 ppm TWA: 0.37 mg/m³ TWA: 0.62 mg/m³ STEL: 0.6 ppm STEL: 0.738 mg/m³ STEL: 0.62 mg/m³	TWA: 0.62 mg/m³ TWA: 0.5 ppm TWA: 0.37 mg/m³ STEL: STEL ppm STEL: STEL mg/m³ K*

Chemical Name	European Union	United Kingdom	France	Spain	Germany
Methanol 67-56-1	-	-	-	15	15 mg/L
Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
Methanol 67-56-1	-	30	-	-	-

Derived No Effect Level (DNEL) No information available.

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering Controls

Use exhaust ventilation to keep airborne concentrations below exposure limits.

Personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin and body protection

Suitable protective clothing. Gloves made of plastic or rubber.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment. Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Blue
Odor	Solvent
Odor threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No information available	
Melting point / freezing point	No information available	
Boiling point / boiling range	85 °C / 185 °F	
Flash point	37 °C / 99 °F	
Evaporation rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper flammability limit:	No information available	
Lower flammability limit:	No information available	
Vapor pressure	No information available	
Vapor density	No information available	
Relative density	No information available	
Water solubility	No information available	
Solubility(ies)	No information available	
Partition coefficient	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity	No information available	
Explosive properties	No information available	
Oxidizing properties	No information available	

9.2. Other information

Softening point	No information available
Molecular weight	No information available
VOC Content (%)	No information available
Density	No information available
Bulk density	No information available

Section 10: STABILITY AND REACTIVITY**10.1. Reactivity**

Not applicable

10.2. Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	None.

10.3. Possibility of hazardous reactions

None under normal processing.

10.4. Conditions to avoid

Excessive heat.

10.5. Incompatible materials

Strong oxidizing agents

10.6. Hazardous decomposition products

Carbon oxides

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

Inhalation	May cause irritation of respiratory tract.
Eye contact	Irritating to eyes. May cause redness and tearing of the eyes.
Skin contact	May cause skin irritation and/or dermatitis. Prolonged contact may cause redness and irritation.
Ingestion	Ingestion may cause irritation to mucous membranes.

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	28,480.00 mg/kg
ATEmix (dermal)	13,187.20 mg/kg
ATEmix (inhalation-vapor)	87.28 mg/l
Unknown acute toxicity	

0% of the mixture consists of ingredient(s) of unknown toxicity.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Octamethylcyclotetrasiloxane	= 1540 mg/kg (Rat)	= 794 µL/kg (Rabbit) > 2375 mg/kg (Rat)	= 36 g/m ³ (Rat) 4 h
Butylated Hydroxytoluene	> 2930 mg/kg (Rat)	> 2000 mg/kg (Rat)	
ETHANOL, 2,2'-IMINOBIIS-	= 620 µL/kg (Rat) = 780 mg/kg (Rat)	= 11.9 mL/kg (Rabbit) = 7640 µL/kg (Rabbit)	
Methanol	= 6200 mg/kg (Rat)	= 15800 mg/kg (Rabbit) = 15840 mg/kg (Rabbit)	= 64000 ppm (Rat) 4 h = 22500 ppm (Rat) 8 h
Formaldehyde	= 100 mg/kg (Rat)	= 270 mg/kg (Rabbit)	= 0.578 mg/L (Rat) 4 h

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.

Chemical Name	European Union
Trisodium Nitroacetate	Carc. 2
Formaldehyde	Carc. 1B

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Target Organ Effects	Respiratory system, Eyes, Skin.
Aspiration hazard:	No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity Harmful to aquatic life. Harmful to aquatic life with long lasting effects. Toxic to aquatic life.
 Toxic to aquatic life with long lasting effects.
 12.40399 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Distillates (petroleum), hydrotreated light	-	2.2: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 2.4: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static 45: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through	4720: 96 h <i>Daphnia magna</i> mg/L LC50
Octamethylcyclotetrasiloxane	-	1000: 96 h <i>Lepomis macrochirus</i> mg/L LC50 500: 96 h <i>Brachydanio rerio</i> mg/L LC50	25.2: 24 h <i>Daphnia magna</i> mg/L EC50
Butylated Hydroxytoluene	0.42: 72 h <i>Desmodesmus subspicatus</i> mg/L EC50 6: 72 h <i>Pseudokirchneriella subcapitata</i> mg/L EC50	5: 48 h <i>Oryzias latipes</i> mg/L LC50	-
ETHANOL, 2,2'-IMINOBI-	2.1 - 2.3: 96 h <i>Pseudokirchneriella subcapitata</i> mg/L EC50 7.8: 72 h <i>Desmodesmus subspicatus</i> mg/L EC50	1200 - 1580: 96 h <i>Pimephales promelas</i> mg/L LC50 static 4460 - 4980: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 600 - 1000: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static	55: 48 h <i>Daphnia magna</i> mg/L EC50
Methanol	-	13500 - 17600: 96 h <i>Lepomis macrochirus</i> mg/L LC50 flow-through 18 - 20: 96 h <i>Oncorhynchus mykiss</i> mL/L LC50 static 19500 - 20700: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 flow-through 28200: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 100: 96 h <i>Pimephales promelas</i> mg/L LC50 static	-
Trisodium Nitriloacetate	560 - 1000: 96 h <i>Chlorella vulgaris</i> mg/L EC50	175 - 225: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 560 - 1000: 96 h <i>Oryzias latipes</i> mg/L LC50 560 - 1000: 96 h <i>Oryzias latipes</i> mg/L LC50 semi-static 560 - 1000: 96 h <i>Poecilia reticulata</i> mg/L LC50 560 - 1000: 96 h <i>Poecilia reticulata</i> mg/L LC50 semi-static 72 - 133: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static 93 - 170: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 114: 96 h <i>Pimephales promelas</i> mg/L LC50 252: 96 h <i>Lepomis macrochirus</i> mg/L LC50 470: 96 h <i>Pimephales promelas</i> mg/L LC50 static	560 - 1000: 48 h <i>Daphnia magna</i> mg/L LC50
Sodium Hydroxide	-	45.4: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static	-
Formaldehyde	-	0.032 - 0.226: 96 h <i>Oncorhynchus mykiss</i> mL/L LC50 flow-through 100 - 136: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static 22.6 - 25.7: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 23.2 - 29.7: 96 h <i>Pimephales promelas</i> mg/L LC50 static 1510: 96 h <i>Lepomis macrochirus</i> µg/L LC50 static 41: 96 h <i>Brachydanio rerio</i> mg/L LC50 static	11.3 - 18: 48 h <i>Daphnia magna</i> mg/L EC50 Static 2: 48 h <i>Daphnia magna</i> mg/L LC50

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

Chemical Name	Partition coefficient
Octamethylcyclotetrasiloxane	5.1
Butylated Hydroxytoluene	4.17
ETHANOL, 2,2'-IMINOBIS-	-2.18
Methanol	-0.77
Formaldehyde	0.35

12.4. Mobility in soil**Mobility in soil**

No information available.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

No information available

Endocrine Disruptor Information

None known.

Section 13: DISPOSAL CONSIDERATIONS**13.1. Waste treatment methods**

Waste from residues/unused products	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
Waste codes / waste designations according to EWC / AVV	No Data Available
Other Information	Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORT INFORMATION

Note: This information is not intended to convey all specific regulatory information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

IMDG

14.1 UN/ID No	3295
14.2 Proper shipping name	Hydrocarbons, liquid, n.o.s
14.3 Hazard Class	3
14.4 Packing Group	III
14.5 Environmental hazard	No
14.6 Special Provisions	No information available
14.7 EmS-No	Not applicable

RID

14.1 UN/ID No	No information available.
14.2 Proper shipping name	No information available
14.3 Hazard Class	No information available.
14.4 Packing Group	None

14.5 Environmental hazard	No
14.6 Special Provisions	No information available
14.7 Classification code	No information available

ADR

14.1 UN/ID No	No information available.
14.2 Proper shipping name	No information available
14.3 Hazard Class	No information available.
14.4 Packing Group	None
14.5 Environmental hazard	No
14.6 Special Provisions	No information available
14.7 Classification code	No information available

IATA

14.1 UN/ID No	UN 3295
14.2 Proper shipping name	Hydrocarbons, liquid, n.o.s
14.3 Hazard Class	3
14.4 Packing Group	III
14.5 Environmental hazard	No
14.6 Special Provisions	No information available
14.7 ERG Code	Not applicable

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical Name	French RG number	Title
Distillates (petroleum), hydrotreated light 64742-47-8	RG 84	-
ETHANOL, 2,2'-IMINOBIS- 111-42-2	RG 49, RG 49bis	-
Methanol 67-56-1	RG 84	-
Formaldehyde 50-00-0	RG 43	-

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical Name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
LIGHT HYDROTREATED DISTILLATE - 68410-97-9	Use restricted. See item 28. Use restricted. See item 29.	
Octamethylcyclotetrasiloxane - 556-67-2	Use restricted. See item 70.	
Methanol - 67-56-1	Use restricted. See item 69.	
Formaldehyde - 50-00-0	Use restricted. See item 72. Use restricted. See item 28.	

Persistent Organic Pollutants

Not applicable

Chemical Name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
Methanol - 67-56-1	500	5000
Formaldehyde - 50-00-0	5	50

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Not determined
ENCS	Not determined
IECSC	Complies
KECL	Not determined
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

No information available

Section 16: OTHER INFORMATION**Key or legend to abbreviations and acronyms used in the safety data sheet****Full text of H-Statements referred to under section 3**

H225 - Highly flammable liquid and vapor
H301 - Toxic if swallowed
H302 - Harmful if swallowed
H304 - May be fatal if swallowed and enters airways
H311 - Toxic in contact with skin
H314 - Causes severe skin burns and eye damage
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage
H319 - Causes serious eye irritation
H331 - Toxic if inhaled
H341 - Suspected of causing genetic defects
H350 - May cause cancer
H351 - Suspected of causing cancer
H361f - Suspected of damaging fertility
H370 - Causes damage to organs
H373 - May cause damage to organs through prolonged or repeated exposure
H413 - May cause long lasting harmful effects to aquatic life

Legend

SVHC: Substances of Very High Concern for Authorization:

Chemical Name	SVHC candidates
Octamethylcyclotetrasiloxane - 556-67-2	X

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

Revision Date 27-May-2020

Revision Note Not applicable.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

Illinois Tool Works Inc. believes the information contained in this data sheet is accurate as of the date compiled. However, Illinois Tool Works Inc. makes no warranty, express or implied, as to the accuracy, reliability or completeness of the information. User is responsible for evaluating whether such information or this product is fit for a particular purpose and suitable for a particular use or application. The information in this data sheet may not be valid if this product is used in combination with other products or in processes for which it was not designed. Illinois Tool Works Inc. disclaims any liability for consequential or incidental damages of any kind, including lost profits, arising from the sale or use of this product. Ensure you have the most current version of this data sheet by contacting us or reviewing our web site.

End of Safety Data Sheet